Hu-Friedy **BioGent Curettes***

Maximum Hygiene Results. Maximum Tissue Respect.

FACT

Bio-type based periodontal therapy is growing in awareness amongst clinicians as focus grows around maintaining the integrity and conservation of the patient's tissue! This therapy provides greater patient comfort and promotes optimal oral health.

CHALLENGE

Patients with thinner gingival biotypes have tissue that is more sensitive to receding and retraction after treatment in addition to altering the aesthetics of the tissue itself.^{2,5-12} "These patients require a biotype-specific approach with instrumentation that is more respectful to the tissue." ^{9, 13-15}

SOLUTION

The proprietary design of Hu-Friedy BioGent Curettes provides a more tissue-friendly approach. These instruments are slim enough to provide enhanced pocket access.

POINTS OF PERFORMANCE

Evolving periodontal therapy advancements require finishing instruments that provide

- Reduced blade width for non-traumatic and efficient access into the periodontium
- Modified bends and angulation for better adaptation
- Color coded for efficient time management
- All BioGent Curettes are designed with EverEdge® technology for super-sharp edges and efficient scaling.

Designed for distal surfaces of posterior dentition



SG1/29LC
Designed for all surfaces of anterior dentition

SG7/89LC
Designed for buccal and lingual surfaces of posterior dentition

SG11/129LC
Designed for mesial surfaces of posterior dentition

SG13/149LC

^{*}Designed by Drs. Antonella Labriola and Pierpaolo Cortellini.

REFERENCES

- 1. Seibert JL, Lindhe J. Esthetics and periodontal therapy. In: Lindhe J, ed. Textbook of Clinical Periodontology. 2nd ed. Copenhangen, Denmark: Munksgaard; 1989:477-514
- 2. Claffey N, Shanley D. Relationship of gingival thickness and bleeding to loss of probing attachment in shallow sites following nonsurgical periodontal therapy. J Clin Periodontol 1986;13:654-657
- 3. Hwang D, Wang HL. Flap thickness as a predictor of root coverage: A systematic review. J Periodontol 2006; 77:1625-1634
- 4. John C. Kois, DMD, MSD: Predictable single-tooth peri-implant esthetics: five diagnostic keys. Compendium. 2004:25 (11):585
- 5. Jia-Hui Fu,* Chu-Yuan Yeh, Hsun-Liang Chan, Nikolaos Tatarakis, Daylene J.M. Leong, and Hom-Lay Wang*. Tissue Biotype and Its Relation to the Underlying Bone Morphology. J Periodontol April 2010
- 6. Huang LH, Neiva RE, Wang HL. Factors affecting the outcomes of coronally advanced flap root coverage procedure. J Periodontol 2005;76:1729-1734
- 7. Zigdon H, Machtei EE. The dimensions of keratinized mucosa around implants affect clinical and immunological parameters. Clin Oral Implants Res 2008;19: 387-392
- 8. De Rouck T, Eghbali R, Collys K, De Bruyn H, Cosyn J. The gingival biotype revisited: Transparency of the periodontal probe through the gingival margin as a method to discriminate thin from thick gingiva. J Clin Periodontol 2009;36:428-433
- 9. K. R. Nagaraj, Ravindra C. Savadi, Anupama R. Savadi, G. T. Prashanth Reddy, Srilakshmi J., Malathi Dayalan, Jins John. Gingival Biotype Prosthodontic Perspective. Journal of Indian Prosthodontic Society (March 2010) 10:27–30
- 10. Von Arx T, Salvi GE, Janner S, Jensen SS. Gingival recession following apical surgery in the esthetic zone: a clinical study with 70 cases. Eur J Esthet Dent. 2009 Spring;4(1):28-45
- 11. Clinical Manual of Periodontology, Section of Predoctoral Periodontology University of Southern California School of Dentistry Compiled by Faculty of Periodontology Version 4.0, January 8, 2009
- 12. Kan JY, Rungcharassaeng K, Umezu K, Kois JC. Dimensions of peri-implant mucosa: An evaluation of maxillary anterior single implants in humans. J Periodontol 2003;74:557-562
- 13. Ahmad (2005) Anterior dental esthetics: Gingival perspective Br Dent J 199(4):195-202
- 14. RR Cluade. Fundamentals of Esthetics. Lombard, Illinois: Quintessence Publishing Co, Inc;1990
- 15. Goldstein RE. 3rd Ed. Change your smile. Carol Stream, Illinois: Quintessence Publishing Co, Inc; 1997

